



1/17

FIG. 1



2/17

FIG.2

A screenshot of a 'FORWARD SETTING' dialog box. The window has a title bar with a maximize, minimize, and close button. Below the title bar is a menu bar with 'FILE (F)', 'EDIT (E)', 'DISPLAY (V)', 'JUMP (G)', 'COMMUNICATOR (C)', and 'HELP (H)'. Below the menu bar is a toolbar with icons for 'RETURN', 'NEXT', 'REREADING', 'HOME', 'SEARCH', 'GUIDE', 'PRINT', 'SECURITY', 'SHOP', and 'STOP'. Below the toolbar is a 'BOOKMARK' button and a 'JUMP' button followed by a text field containing 'http://www.local.ff.co.jp/mail/forward/forward.html'. The main area of the dialog is titled 'FORWARD SETTING'. It contains several input fields and labels: 'MAIL SERVER:' with a dropdown menu showing 'pop.ff.co.jp' and a label 'SELECT YOUR OWN'S MAIL SERVER' with an arrow pointing to it and the number '11'; 'MAIL ADDRESS:' with a text field containing 'user' and a label 'LEFT SIDE TO @ff.co.jp' with an arrow pointing to it and the number '12'; 'PASSWORD:' with a text field containing '*****' and a label '(INPUT IN HALF-POINT CHARACTERS)' with an arrow pointing to it and the number '13'. Below these is a list box for 'FORWARD DESTINATION ADDRESS : (LIMITED WITHIN IN-OFFICE OR AFFILIATED COMPANY)' with the following entries: '<xxx1@ff.co.jp>', '<xxx2@ff.co.jp>', 'yyy3@nif.com', and 'zzz4@ff2.co.jp'. To the right of the list box is a text area with the text 'EXAMPLE OF ENTRY (<, > CAN BE OMITTED): <xxx1@ff.co.jp> <xxx2@ff.co.jp> yyy3@ff.co.jp zzz4@ff.co.jp' and a 'NOTICE:' section that says 'ENTER IN-OFFICE OR AFFILIATED COMPANY MAIL ADDRESS ONE BY ONE IN LINE. MAIL ADDRESSES OTHER THAN ABOVE (ff.co.jp:, ff2.co.jp) ARE INVALID' with an arrow pointing to it and the number '15'. At the bottom of the dialog is a checkbox labeled 'LEAVE ALSO IN FORWARD SOURCE (FORWARD TO YOUR OWN'S ACCOUNT)' with the number '14' next to it. At the very bottom are two buttons: 'SET' and 'CANCEL'.

FORWARD SETTING

FILE (F) EDIT (E) DISPLAY (V) JUMP (G) COMMUNICATOR (C) HELP (H)

RETURN NEXT REREADING HOME SEARCH GUIDE PRINT SECURITY SHOP STOP

BOOKMARK JUMP <http://www.local.ff.co.jp/mail/forward/forward.html>

FORWARD SETTING

MAIL SERVER: SELECT YOUR OWN'S MAIL SERVER ← 11

MAIL ADDRESS: LEFT SIDE TO @ff.co.jp ← 12

EX.: shiba.h-nakao (INPUT IN HALF-POINT CHARACTERS)

PASSWORD: (INPUT IN HALF-POINT CHARACTERS) ← 13

14 FORWARD DESTINATION ADDRESS : (LIMITED WITHIN IN-OFFICE OR AFFILIATED COMPANY)

<xxx1@ff.co.jp>
<xxx2@ff.co.jp>
yyy3@nif.com
zzz4@ff2.co.jp
|

EXAMPLE OF ENTRY (<, > CAN BE OMITTED):
<xxx1@ff.co.jp>
<xxx2@ff.co.jp>
yyy3@ff.co.jp
zzz4@ff.co.jp

NOTICE:
ENTER IN-OFFICE OR AFFILIATED
COMPANY MAIL ADDRESS ONE BY ONE
IN LINE. MAIL ADDRESSES OTHER
THAN ABOVE (ff.co.jp:, ff2.co.jp)
ARE INVALID ← 15

☒ LEAVE ALSO IN FORWARD SOURCE
(FORWARD TO YOUR OWN'S ACCOUNT)

SET CANCEL

3/17

FIG. 3

DISPLAYING CONTENTS OF FORWARD SETTING											<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
FILE (F) EDIT (E) DISPLAY (V) JUMP (G) COMMUNICATOR (C) HELP (H)													
RETURN NEXT REREADING HOME SEARCH GUIDE PRINT SECURITY SHOP STOP													
BOOKMARK JUMP <input type="text" value="http://www.local.ff.co.jp/mail/forward/get-forward.html"/>													
DISPLAY CONTENTS OF FORWARD SETTING													
MAIL SERVER:		<input type="text" value="pop.ff.co.jp"/>		SELECT YOUR OWN'S MAIL SERVER		← 11							
MAIL ADDRESS:		<input type="text" value="user"/>		LEFT SIDE TO @ff.co.jp, H		PASSWORD		← 12					
EX.: shiba.h-nakao (INPUT IN HALF-POINT CHARACTERS)													
PASSWORD:		<input type="text" value="*****"/>		(INPUT IN HALF-POINT CHARACTERS)		← 13							
<input type="button" value="DISPLAY"/>				<input type="button" value="CANCEL"/>									

4/17

FIG. 4

✳ FORWARD SETTING STEPS										□ □ ×		
FILE(F) EDIT(E) DISPLAY(V) JUMP(G) COMMUNICATOR(C) HELP(H)												
RETURN NEXT REREADING HOME SEARCH GUIDE PRINT SECURITY SHOP STOP												
BOOKMARK JUMP http://www.local.ff.co.jp/mail/forward/method-forward.html												
OFF-OFFICE FORWARD SETTING STEPS												
<p>1. WHEN INPUTTING FORWARD DESTINATION ADDRESS IN THE FOLLOWING FORM, TEST MAIL IS AUTOMATICALLY SENT FROM MAIL SERVER</p> <p>2. SEND MAIL FROM IN-OFFICE MAIL ADDRESS IN FORMAT DESCRIBED HEREIN. KEYWORD 1 IS eqwqw1qe4e3w231e31dsd121. KEYWORD 2 IS DESCRIBED IN ABOVE TEST MAIL</p> <p>ADDRESS: forward-append@ff.co.jp SENDER: xxxx@ff.co.jp TITLE: forward-append TEXT: REQUEST FOR PERMISSION OF FORWARD SETTING NAME: ○ ○ ○ ○ POSITION: ○ ○ SECTION IN ○ ○ DIVISION FORWARD DESTINATION: xxx@nif.com REASON FOR FORWARDING: ○ ○ ○ ○ KEYWORD 1: xxxxxxxxxxxxxxxxxxxx KEYWORD 2: yyyyyyyyyyyyyyyyyyy LIMIT OF PERIOD: DECEMBER 31, 2001 THE ABOVE IS THE FORMAT</p> <p>3. FORWARD SETTING IS DONE HEREIN</p>												
SENDING OF TEST MAIL												
MAIL SERVER: <input type="text" value="pop.ff.co.jp"/> ▾ SELECT YOUR OWN'S MAIL SERVER ← 11												
IN-OFFICE MAIL ADDRESS: <input type="text" value="user"/> LEFT SIDE TO @ff.co.jp ← 12A												
EX.: shiba.h-nakao (INPUT IN HALF-POINT CHARACTERS)												
FORWARD DESTINATION (OFF-OFFICE) MAIL ADDRESS: <input type="text" value="zzz@xxx.com"/> (INPUT IN HALF-POINT CHARACTERS) ← 14A												
-- EX xxx@nif.com												
<div>SEND</div> <div>CANCEL</div>												

FIG.5

ADDRESSED TO FORWARD DESTINATION zzz@xxx.com FRPM WEB SERVER

TITLE: mail test

TEXT: fdsjfdaf4a4sgg3da2df2g1agag1f2gf1af12 <-- KEYWORD 2

20010320 <--- LIMIT OF PERIOD OF FORWARD DESTINATION ADDRESS

FIG.6

ADDRESSED TO RECEIPT ADDRESS fwcheck@ff.co.jp OF RECEIPT MAIL SERVER FROM WEB

SERVER

TITLE: forward check

SENDER: user@ff.co.jp

TEXT: forward check list

user@ff.co.jp

<--- MAIL ADDRESS OF USER

zzz@xxx.com

<--- MAIL ADDRESS OF FORWARD DESTINATION

fdlsffdaf4a4sgg3da2df2g1agag1f2gf1af12

<--- KEYWORD 2

20010331 <--- EFFECTIVE PERIOD OF FORWARD DESTINATION ADDRESS

20010131

<--- REPLY EFFECTIVE PERIOD

FIG.7

ADDRESSED TO forward-append@ff.co.jp FROM USER user@ff.co.jp

TITLE: forward-append

TEXT: REQUEST FOR PERMISSION OF FORWARD SETTING

NAME: TARO YAMADA

POSITION: DEVELOPMENT SECTION IN OO DEVELOPMENT DIVISION

FORWARD DESTINATION: zzz@xxx.com

REASON FOR FORWARDING: FOR 0000.

KEYWORD 1: eqwew1qe4e3w231e31dsd121

KEYWORD 2: fdsfjdfaf4a4sgg3da2df2g1agag1f2gf1af12


FORWARD DESTINATION ADDRESS EFFECTIVE PERIOD 20010331

FIG.8


name: user	# USER NAME
<u>xxx@nif.com</u> OK dahdahdashdsag4fds4df5fds4454fsd4f	20010228 # TEST PROVED
<u>yyv@ppp.com</u> NG dahdahdashdsag4fds4df5fds4454fsd4f	20010630 # TEST PROVED
<u>zzz@xxx.com</u> WT fdsfjfdaf4a4sgg3da2df2g1agag1f2gf1af12	20010131 # WAITING FOR
	MAIL

9/17


FIG. 9



10/17
FIG. 10



11/17
FIG. 11



12/17
FIG.12

ADDRESSED TO fwset@ff.co.jp FROM USER

TITLE:forward-set

TEXT:set forward list

aaa@ff.co.jp

bbb@nif.com

ccc@zzz.com

¥user

13/17

FIG.13

NAME : USER		# USER NAME
*@ff. co. jp	—	# ALL IN-OFFICE ADDRESSED MAILS ARE PERMITTED. NO LIMIT OF PERIOD.
bbb@nif. com		PERMITTED TILL 20010630#2001/6/30
ccc@zzz. com		PERMITTED TILL 20010131#2001/1/31

14/17

FIG.14

ADDRESSED TO USER user@ff.co.jp FROM MAIL SERVER

TITLE:

TEXT: 13:00, DECEMBER 11, 2002

FORWARD SETTING FILE OF USER "user ESQ"
WAS CHANGED AS FOLLOWS:

aaa@ff.co.jp

bbb@nif.com

ccc@zzz.com

¥user

15/17

FIG.15

ADDRESSED TO fwget@ff.co.jp FROM USER "user"


TITLE:forward-set

TEXT:get-forward-list

user@ff.co.jp

16/17

FIG. 16



17/17
FIG.17

